



# FACT SHEET

Office of the  
Assistant Secretary of Defense (Health Affairs)  
**Deployment Health Support Directorate**

For more information  
(703) 578 - 8500  
(800) 497 - 6261

---

Version 10-31-2002

## Deseret Test Center

### Pin Point

Shortly after President Kennedy's inauguration in 1961, the Secretary of Defense, Robert McNamara, directed that a total review of the U.S. military be undertaken. The study consisted of 150 separate projects. The chemical and biological warfare review was known as Project 112. As part of the Project 112 review, the Joint Chiefs of Staff convened a working committee that recommended a research, testing, and development program for chemical and biological weapons. To oversee this program, the Deseret Test Center (DTC) was established at Fort Douglas, Utah, in 1962. Both land-based and ship-based tests were conducted during the period 1962 – 1973. The Deseret Test Center closed in 1973.

The purposes of Pin Point were to evaluate the riot-control-agent CS-dispensing, man-portable E8 launcher and the aerially-delivered CBU-19/A and CBU-30/A munitions for area-coverage-time-dosage relationships in a tropical jungle environment. The reactions to CS of unmasked, volunteer personnel operating in the impact area and the persistency of the agent were also evaluated.

Ortho-chlorobenzylidene malonotriple (CS), a white crystalline powder riot-control agent, was used for the Pin Point tests. CS was dispersed by a counterinsurgency-type aircraft (A-1E/Skyraider) using CBU-30/A and CBU-19/A munitions as well as by using an E8 man portable launcher.

The Department of Defense (DoD) is providing this information, at the request of the Department of Veterans Affairs (VA), to assist the VA in providing healthcare services to qualified veterans and to assist veterans in establishing service connection for disability claims. The Deployment Health Support Directorate (DHSD) collected this information from multiple sources and requested that the military services declassify it to allow its public distribution. The VA accepts this information provided on location, dates, units and/or ships, and substances involved in this exercise, which DHSD extracted from classified DoD records, and will provide it to individual veterans as necessary, but the VA cannot verify its accuracy.

While the United States does not classify CS as a chemical warfare agent, Deseret Test Center managed Pin Point as a matter of convenience. Testing CS delivery methods was not part of a chemical-biological warfare agent assessment.

Pin Point trials were conducted in 1966 in a tropical jungle type environment.

The Department of Defense (DoD) is providing this information, at the request of the Department of Veterans Affairs (VA), to assist the VA in providing healthcare services to qualified veterans and to assist veterans in establishing service connection for disability claims. The Deployment Health Support Directorate (DHSD) collected this information from multiple sources and requested that the military services declassify it to allow its public distribution. The VA accepts this information provided on location, dates, units and/or ships, and substances involved in this exercise, which DHSD extracted from classified DoD records, and will provide it to individual veterans as necessary, but the VA cannot verify its accuracy.

<b>Test Name</b>	Pin Point (Test 66-10)
<b>Testing Organization</b>	US Army Deseret Test Center
<b>Test Dates</b>	1966 (specific dates not identified in the final report.)
<b>Test Location</b>	Tropical jungle environment (specific location not identified in final report.)
<b>Test Operations</b>	The riot-control-agent CS-dispensing, man portable E8 launcher, and the aerially delivered CBU-19/A and CBU-30/A munitions were operationally evaluated for area-coverage-time-dosage relationships in a tropical jungle environment. Reactions of unmasked, volunteer personnel operating in the impact area were evaluated as well as the persistency of the agent.
<b>Participating Services</b>	Deseret Test Center personnel, US Army, US Air Force, US Marine Corps
<b>Units and Ships Involved</b>	Counterinsurgency type aircraft (A 1E/Skyraider)
<b>Dissemination Procedures</b>	CS-filled submunitions were released from single and double dynamic drops of the CBU-19/A munition, CBU-30/A munition and from the firing of the E8 launcher.
<b>Agents</b>	CS Riot-Control Agent
<b>Simulants and Tracers</b>	Not identified
<b>Ancillary Testing</b>	Not identified
<b>Decontamination</b>	Not identified
<b>Potential Health Risks Associated with Agents, Simulants, Tracers</b>	<u>CS Riot – Control Agent</u> CS is one of several chemicals commonly called “Tear Gas.” CS is a white, crystalline powder and is dispersed into the air as either an aerosol or powder.

The Department of Defense (DoD) is providing this information, at the request of the Department of Veterans Affairs (VA), to assist the VA in providing healthcare services to qualified veterans and to assist veterans in establishing service connection for disability claims. The Deployment Health Support Directorate (DHSD) collected this information from multiple sources and requested that the military services declassify it to allow its public distribution. The VA accepts this information provided on location, dates, units and/or ships, and substances involved in this exercise, which DHSD extracted from classified DoD records, and will provide it to individual veterans as necessary, but the VA cannot verify its accuracy.

The chemical name for CS is ortho-chlorobenzylidene malononitrile. It is chemically identical to CS2 but differs in its physical characteristics. This chemical is an incapacitating/riot-control agent that acts as a contact irritant on the exposed body surfaces (eyes and skin), and on the respiratory tract. Exposure to CS causes burning, irritation, tearing and pain in the eyes. Airway symptoms include burning, sneezing, cough, shortness of breath and increased secretions, such as runny nose and increased salivation. High concentrations of CS can cause blistering of the skin. With commonly used concentrations, these effects are short-term and the potential for long-term health consequences is low.

(Sources: Riot-Control Agents (chap. 6), in US Army Medical Research Institute of Chemical Defense, Medical Management of Chemical Casualties Handbook, 3rd edition, 1998;

Sidell FR, Riot Control Agents (chap. 12), in Zajtchuk R (ed.), Textbook of Military Medicine (part 1, Medical Aspects of Chemical and Biological Warfare, 1997), Office of the Army Surgeon General, Washington DC, 1997, p. 310-6.

<http://www.metrokc.gov/health/hazard/>

[riotcontrol.htm#cs](http://www.metrokc.gov/health/hazard/riotcontrol.htm#cs) [as of September 26, 2002]

and Cornell University,

<http://msds.pdc.cornell.edu/msds/siri/files/chl/chlfz.html> [as of August 26, 2002]).

The Department of Defense (DoD) is providing this information, at the request of the Department of Veterans Affairs (VA), to assist the VA in providing healthcare services to qualified veterans and to assist veterans in establishing service connection for disability claims. The Deployment Health Support Directorate (DHSD) collected this information from multiple sources and requested that the military services declassify it to allow its public distribution. The VA accepts this information provided on location, dates, units and/or ships, and substances involved in this exercise, which DHSD extracted from classified DoD records, and will provide it to individual veterans as necessary, but the VA cannot verify its accuracy.